

Bovey, Martin.

1930. Chest flat. Shoulders forward. Feet everted and pronated.

Oct. 15. Abdomen protuberant.

Bower, Paul

1930 Chest flat. Shoulders slightly forward. Head tilt slightly forward.  
Oct. 15. Legs slightly hyperextended. Feet everted.

April 27, 1931.

Chest flat. Legs slightly hyperextended. Abdomen slightly rounded.

Bassett, Benjamine

Oct. 15. Curves normal. Chest flat. Shoulders balanced. Head tilt forward  
1930. Legs hyperextended. Feet parallel. Musculature fair.  
Abdomen rounded.

47 - 49 1/2 lbs

Boat - H.D. - P & M - garden - Rocking chair - garage -

Blevins, Patricia:

1930. Chest flat. Head forward. Left foot pronated. Abdomen rounded.  
Oct. 15.

Ames, Oaks.

Oct. 15, 1930.  
Feet everted. Abdomen slightly rounded. Holds rib carriage too high and too wide.

Responded well. Tight trapezius & Deltoid

Abbott, David

Oct. 15, 1930. Chest flat. Feet everted. Muscle development fair. Abdomen rounded.

1930 Thighs and legs need further development. Lumbar & pelvic areas  
adductors need emphasis

Stratton, Nancy

1930

Oct. 15. Increased curves. Chest flat. Shoulders forward. Head forward.  
Legs hyperextended. Feet everted and pronated. Abdomen protuberant.

April 27, 1931.

Curves increased. Chest flat. Shoulders forward. Legs hyper-  
extended. Musculature fair, Abdomen protuberant.

Smith, Gale.

1930 Right shoulder high. Head forward. Legs hyperextended. Feet everted  
Oct. 15. and pronated. Abdomen rounded and protuberant. Muscle development  
poor (heavy).

April 13, 1931.

Legs hyperextended. Feet everted. Right foot slightly pronated.  
Musculature fair. Abdomen rounded.

Murray, Robert.

1930  
Oct. 15<sup>th</sup> Right shoulder high. Abdomen rounded.

May 11, 1931.

Legs slightly hyperextended. Feet slightly pronated--right foot more.  
Abdomen rounded.

Waring, Tony.

Oct. 15, 1930. Right leg hyperextended. Abdomen slightly protuberant.

May 11, 1931. Left foot pronated.

Haskell, Richard.

Oct. 15, 1930. Chest flat. Feet slightly everted. Abdomen rounded.

May 11, 1931. " " . Abdomen rounded.

Chamberlain, Elizabeth.

1930. Increased curves. Chest flat. Right shoulder high. Head tilt left.

Oct. 15. Legs hyperextended. Feet everted and pronated. Abdomen rounded.

April 27, 1931. Curves slightly increased. Chest flat. Right shoulder  
slightly high. Legs hyperextended. Musculature fair.  
Abdomen rounded.

Pierce, Mary

Oct 15. Normal curves. Chest rounded., Shoulders balanced. Legs slightly  
1930. hyperextended. Feet parallel. Musculature development good.  
Abdomen level.

May 7th, 1931. Right shoulder lower. Right hip higher. Tendency to hold  
right leg stiffly.

Walker, Isabell

Oct. 15, 1930.

Legs slightly hyperextended. Feet pronated.

May 7th, 1931.

Legs slightly hyperextended. Abdomen rounded. Tendency to hold right leg  
a little stiff.

Wonsey, Baird.

Oct. 10 1930 Skeletal curves increased. Chest flat. Shoulders forward. Head forward.  
1930 legs hyperextended. Feet everted and pronated. Abdomen protuberant.

Brewer, George.

1930 Right shoulder high. Head forward. Feet everted. Abdomen  
Oct. 15. protuberant. General coordination and rythm.

Boyd, Francis.

1930  
Oct. 15 Chest flat. Right shoulder high. Feet everted and pronated. Abdomen  
rounded. Muscle developement fair.

April 27, 1931.

Chest flat. Feet everted. Abdomen rounded. *Needs building of*

*lumbar and pelvic m.*

*(Snowman - wide - shows great improvement,*

Cox, Catherine

1931 Chest rounded. Right shoulder slightly high. Feet everted.  
Oct. 15. Abdomen rounded.

April 13, 1931. Right shoulder slightly high. Abdomen rounded. Rt. foot  
slightly pronated.

Moore Robin

1930 Abdomen rounded. Needs further muscle developement.  
Oct. 15.

April 27, 1931. Abdomen rounded.

Murray, Jane.

1930  
Oct. 15 Pronated left foot, --everted slightly. Abdomen slightly protuberant.

McCormick, Shirely

Right shoulder high. Marked lordosis. Feet pronated. Knocked kneed.  
Spastic gait. Spasmodic movements of right arm.

Hobson, Timothy

1930  
Oct. 15 Feet pronated. Abdomen rounded.

May 11, 1931.

Chest flat. Left shoulder high. Legs hyperextended -- left worse.  
Abdomen rounded.